

# 2009 MONTANA YOUTH RISK BEHAVIOR SURVEY

## HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS

### FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION

The following frequency distributions are based upon surveys with 588 high school American Indian students on or near a reservation in Montana during February of 2009. Frequency distributions may not total 588 due to nonresponse and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 12 years old or younger	2	0.3%
b. 13 years old	4	0.7%
c. 14 years old	52	8.8%
d. 15 years old	153	26.0%
e. 16 years old	165	28.1%
f. 17 years old	154	26.2%
g. 18 years old or older	58	9.9%
<b>Total</b>	<b>588</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Female	292	50.1%
b. Male	291	49.9%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 9th grade	179	30.7%
b. 10th grade	157	26.9%
c. 11th grade	132	22.6%
d. 12th grade	105	18.0%
e. Ungraded or other	10	1.7%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	43	7.4%
b. No	537	92.6%
<b>Total</b>	<b>580</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. American Indian or Alaskan Native	588	100.0%
b. Asian	2	0.3%
c. Black or African American	14	2.4%
d. Native Hawaiian or Other Pacific Islander	4	0.7%
e. White	75	12.8%
(More than one response allowed)	<b>Total</b>	<b>683</b>
		<b>116.2%</b>

<i>Q-6. How tall are you without your shoes on?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Less than 4 ft	0	0.0%
b. 4ft to 4 ft, 6 in	1	0.2%
c. 4ft, 7in to 5 ft	5	0.9%
d. 5ft, 1in to 5ft, 6in	219	37.8%
e. Over 5ft, 6in	354	61.1%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-7. How much do you weigh without your shoes on?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Less than 90 lbs	0	0.0%
b. 90-99 lbs	5	0.9%
c. 100-109 lbs	22	3.9%
d. 110-119lbs	46	8.2%
e. 120-129 lbs	57	10.1%
f. 130-139 lbs	57	10.1%
g. 140 lbs +	377	66.8%
<b>Total</b>	<b>564</b>	<b>100.0%</b>

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not ride a bicycle during the past 12 months	254	43.3%
b. Never wore a helmet	290	49.5%
c. Rarely wore a helmet	19	3.2%
d. Sometimes wore a helmet	10	1.7%
e. Most of the time wore a helmet	7	1.2%
f. Always wore a helmet	6	1.0%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Never	32	5.6%
b. Rarely	94	16.3%
c. Sometimes	175	30.4%
d. Most of the time	177	30.7%
e. Always	98	17.0%
<b>Total</b>	<b>576</b>	<b>100.0%</b>

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I do not drive a car	83	14.2%
b. Never	47	8.0%
c. Rarely	103	17.6%
d. Sometimes	108	18.5%
e. Most of the time	107	18.3%
f. Always	136	23.3%
<b>Total</b>	<b>584</b>	<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	339	58.1%
b. 1 time	76	13.0%
c. 2 or 3 times	90	15.4%
d. 4 or 5 times	29	5.0%
e. 6 or more times	49	8.4%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**  
**FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	482	82.5%
b. 1 time	50	8.6%
c. 2 or 3 times	32	5.5%
d. 4 or 5 times	3	0.5%
e. 6 or more times	17	2.9%
<b>Total</b>	<b>584</b>	<b>100.0%</b>

<i>Q-13. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	472	81.0%
b. 1 day	37	6.3%
c. 2 or 3 days	28	4.8%
d. 4 or 5 days	9	1.5%
e. 6 or more days	37	6.3%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-14. During the past 30 days, on how many days did you carry a gun?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	531	90.6%
b. 1 day	19	3.2%
c. 2 or 3 days	19	3.2%
d. 4 or 5 days	3	0.5%
e. 6 or more days	14	2.4%
<b>Total</b>	<b>586</b>	<b>100.0%</b>

<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or a club on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	549	94.2%
b. 1 day	10	1.7%
c. 2 or 3 days	8	1.4%
d. 4 or 5 days	4	0.7%
e. 6 or more days	12	2.1%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-16. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	534	91.4%
b. 1 day	21	3.6%
c. 2 or 3 days	14	2.4%
d. 4 or 5 days	3	0.5%
e. 6 or more days	12	2.1%
<b>Total</b>	<b>584</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**  
**FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-17. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	553	94.5%
b. 1 time	14	2.4%
c. 2 or 3 times	11	1.9%
d. 4 or 5 times	2	0.3%
e. 6 or 7 times	0	0.0%
f. 8 or 9 times	1	0.2%
g. 10 or 11 times	0	0.0%
h. 12 or more times	4	0.7%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

<i>Q-18. During the past 12 months, how many times were you in a physical fight?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	316	54.2%
b. 1 time	110	18.9%
c. 2 or 3 times	99	17.0%
d. 4 or 5 times	23	3.9%
e. 6 or 7 times	9	1.5%
f. 8 or 9 times	6	1.0%
g. 10 or 11 times	5	0.9%
h. 12 or more times	15	2.6%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	546	93.8%
b. 1 time	28	4.8%
c. 2 or 3 times	7	1.2%
d. 4 or 5 times	0	0.0%
e. 6 or more times	1	0.2%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-20. During the past 12 months, how many times were you in a physical fight on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	484	82.9%
b. 1 time	68	11.6%
c. 2 or 3 times	22	3.8%
d. 4 or 5 times	3	0.5%
e. 6 or 7 times	3	0.5%
f. 8 or 9 times	0	0.0%
g. 10 or 11 times	0	0.0%
h. 12 or more times	4	0.7%
<b>Total</b>	<b>584</b>	<b>100.0%</b>

<i>Q-21. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	83	14.3%
b. No	498	85.7%
<b>Total</b>	<b>581</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-22. Have you ever been forced to have sexual intercourse when you did not want to?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	65	11.3%
b. No	510	88.7%
<b>Total</b>	<b>575</b>	<b>100.0%</b>

<i>Q-23. During the past 12 months, have you ever been bullied on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	127	21.7%
b. No	457	78.3%
<b>Total</b>	<b>584</b>	<b>100.0%</b>

<i>Q-24. During the past 12 months, have you ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	102	17.5%
b. No	480	82.5%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-25. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	184	32.1%
b. No	389	67.9%
<b>Total</b>	<b>573</b>	<b>100.0%</b>

<i>Q-26. During the past 12 months, did you ever seriously consider attempting suicide?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	114	19.6%
b. No	468	80.4%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-27. During the past 12 months, did you make a plan about how you would attempt suicide?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	97	16.6%
b. No	486	83.4%
<b>Total</b>	<b>583</b>	<b>100.0%</b>

<i>Q-28. During the past 12 months, how many times did you actually attempt suicide?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	474	82.0%
b. 1 time	75	13.0%
c. 2 or 3 times	15	2.6%
d. 4 or 5 times	8	1.4%
e. 6 or more times	6	1.0%
<b>Total</b>	<b>578</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-29. If you attempted suicide during the past 12 months, did any attempt result in injury, poisoning, or overdose that had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not attempt suicide during the past 12 months	440	75.6%
b. Yes	30	5.2%
c. No	112	19.2%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-30. Have you ever tried cigarette smoking, even one or two puffs?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	458	79.1%
b. No	121	20.9%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

<i>Q-31. How old were you when you smoked a whole cigarette for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never smoked a whole cigarette	188	32.6%
b. 8 years old or younger	48	8.3%
c. 9 or 10 years old	55	9.5%
d. 11 or 12 years old	88	15.3%
e. 13 or 14 years old	100	17.3%
f. 15 or 16 years old	81	14.0%
g. 17 years old or older	17	2.9%
<b>Total</b>	<b>577</b>	<b>100.0%</b>

<i>Q-32. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	324	55.9%
b. 1 or 2 days	74	12.8%
c. 3 to 5 days	32	5.5%
d. 6 to 9 days	22	3.8%
e. 10 to 19 days	35	6.0%
f. 20 to 29 days	32	5.5%
g. All 30 days	61	10.5%
<b>Total</b>	<b>580</b>	<b>100.0%</b>

<i>Q-33. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	330	56.4%
b. Less than 1 cigarette per day	60	10.3%
c. 1 cigarette per day	56	9.6%
d. 2 to 5 cigarettes per day	116	19.8%
e. 6 to 10 cigarettes per day	17	2.9%
f. 11 to 20 cigarettes per day	4	0.7%
g. More than 20 cigarettes per day	2	0.3%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<b>Q-34. During the past 30 days, how did you usually get your own cigarettes? (Select only one response)</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke cigarettes during the past 30 days	324	56.3%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	52	9.0%
c. I bought them from a vending machine	3	0.5%
d. I gave someone else money to buy them for me	71	12.3%
e. I borrowed them from someone else	70	12.2%
f. A person 18 years old or older gave them to me	15	2.6%
g. I took them from a store or family member	8	1.4%
h. I got them some other way	32	5.6%
<b>Total</b>	<b>575</b>	<b>100.0%</b>

<b>Q-35. During the past 30 days, on how many days did you smoke cigarettes on school property?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	498	85.6%
b. 1 or 2 days	40	6.9%
c. 3 to 5 days	15	2.6%
d. 6 to 9 days	12	2.1%
e. 10 to 19 days	8	1.4%
f. 20 to 29 days	2	0.3%
g. All 30 days	7	1.2%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<b>Q-36. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	154	26.5%
b. No	428	73.5%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<b>Q-37. During the past 12 months, did you ever try to quit smoking cigarettes?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not smoke during the past 12 months	306	52.8%
b. Yes	182	31.4%
c. No	91	15.7%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

<b>Q-38. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garret, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</b>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	454	77.3%
b. 1 or 2 days	51	8.7%
c. 3 to 5 days	19	3.2%
d. 6 to 9 days	16	2.7%
e. 10 to 19 days	12	2.0%
f. 20 to 29 days	15	2.6%
g. All 30 days	20	3.4%
<b>Total</b>	<b>587</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**  
**FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-39. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	502	85.8%
b. 1 or 2 days	34	5.8%
c. 3 to 5 days	10	1.7%
d. 6 to 9 days	11	1.9%
e. 10 to 19 days	7	1.2%
f. 20 to 29 days	7	1.2%
g. All 30 days	14	2.4%
<b>Total</b>	<b>585</b>	<b>100.0%</b>

<i>Q-40. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	520	89.0%
b. 1 or 2 days	35	6.0%
c. 3 to 5 days	6	1.0%
d. 6 to 9 days	9	1.5%
e. 10 to 19 days	8	1.4%
f. 20 to 29 days	2	0.3%
g. All 30 days	4	0.7%
<b>Total</b>	<b>584</b>	<b>100.0%</b>

<i>Q-41. During your life, on how many days did you have at least one drink of alcohol?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	139	24.0%
b. 1 or 2 days	90	15.5%
c. 3 to 9 days	84	14.5%
d. 10 to 19 days	69	11.9%
e. 20 to 39 days	72	12.4%
f. 40 to 99 days	66	11.4%
g. 100 or more days	60	10.3%
<b>Total</b>	<b>580</b>	<b>100.0%</b>

<i>Q-42. How old were you when you had your first drink of alcohol other than a few sips?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had a drink of alcohol other than a few sips	130	22.6%
b. 8 years old or younger	40	6.9%
c. 9 or 10 years old	36	6.3%
d. 11 or 12 years old	93	16.1%
e. 13 or 14 years old	170	29.5%
f. 15 or 16 years old	95	16.5%
g. 17 years old or older	12	2.1%
<b>Total</b>	<b>576</b>	<b>100.0%</b>



**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**  
**FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-43. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	313	54.1%
b. 1 or 2 days	126	21.8%
c. 3 to 5 days	73	12.6%
d. 6 to 9 days	38	6.6%
e. 10 to 19 days	18	3.1%
f. 20 to 29 days	7	1.2%
g. All 30 days	4	0.7%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

<i>Q-44. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	359	61.7%
b. 1 day	75	12.9%
c. 2 days	55	9.5%
d. 3 to 5 days	57	9.8%
e. 6 to 9 days	22	3.8%
f. 10 to 19 days	7	1.2%
g. 20 or more days	7	1.2%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-45. During the past 30 days, how did you usually get the alcohol you drank?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink alcohol during the past 30 days	300	51.5%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	19	3.3%
c. I bought it at a restaurant, bar, or club	6	1.0%
d. I bought it at a public event such as a concert or sporting event	3	0.5%
e. I gave someone else money to buy it for me	119	20.4%
f. Someone gave it to me	73	12.5%
g. I took it from a store or family member	10	1.7%
h. I got it some other way	52	8.9%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	520	91.7%
b. 1 or 2 days	34	6.0%
c. 3 to 5 days	6	1.1%
d. 6 to 9 days	3	0.5%
e. 10 to 19 days	2	0.4%
f. 20 to 29 days	1	0.2%
g. All 30 days	1	0.2%
<b>Total</b>	<b>567</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-47. During your life, how many times have you used marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	189	32.5%
b. 1 or 2 times	63	10.8%
c. 3 to 9 times	59	10.2%
d. 10 to 19 times	48	8.3%
e. 20 to 39 times	53	9.1%
f. 40 to 99 times	46	7.9%
g. 100 or more times	123	21.2%
<b>Total</b>	<b>581</b>	<b>100.0%</b>

<i>Q-48. How old were you when you tried marijuana for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never tried marijuana	177	30.6%
b. 8 years old or younger	53	9.2%
c. 9 or 10 years old	44	7.6%
d. 11 or 12 years old	100	17.3%
e. 13 or 14 years old	132	22.8%
f. 15 or 16 years old	61	10.5%
g. 17 years old or older	12	2.1%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

<i>Q-49. During the past 30 days, how many times did you use marijuana?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	334	58.5%
b. 1 or 2 times	63	11.0%
c. 3 to 9 times	45	7.9%
d. 10 to 19 times	43	7.5%
e. 20 to 39 times	34	6.0%
f. 40 or more times	52	9.1%
<b>Total</b>	<b>571</b>	<b>100.0%</b>

<i>Q-50. During the past 30 days, how many times did you use marijuana on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	518	89.0%
b. 1 or 2 times	32	5.5%
c. 3 to 9 times	8	1.4%
d. 10 to 19 times	11	1.9%
e. 20 to 39 times	1	0.2%
f. 40 or more times	12	2.1%
<b>Total</b>	<b>582</b>	<b>100.0%</b>

<i>Q-51. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	517	89.3%
b. 1 or 2 times	27	4.7%
c. 3 to 9 times	17	2.9%
d. 10 to 19 times	8	1.4%
e. 20 to 39 times	3	0.5%
f. 40 or more times	7	1.2%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**  
**FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-52. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	551	95.8%
b. 1 or 2 times	7	1.2%
c. 3 to 9 times	9	1.6%
d. 10 to 19 times	4	0.7%
e. 20 to 39 times	1	0.2%
f. 40 or more times	3	0.5%
<b>Total</b>	<b>575</b>	<b>100.0%</b>

<i>Q-53. During your life, how many times have you sniffed glue, or breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	410	70.8%
b. 1 or 2 times	78	13.5%
c. 3 to 9 times	40	6.9%
d. 10 to 19 times	30	5.2%
e. 20 to 39 times	11	1.9%
f. 40 or more times	10	1.7%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

<i>Q-54. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	564	97.7%
b. 1 or 2 times	9	1.6%
c. 3 to 9 times	2	0.3%
d. 10 to 19 times	1	0.2%
e. 20 to 39 times	0	0.0%
f. 40 or more times	1	0.2%
<b>Total</b>	<b>577</b>	<b>100.0%</b>

<i>Q-55. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	542	94.4%
b. 1 or 2 times	19	3.3%
c. 3 to 9 times	3	0.5%
d. 10 to 19 times	4	0.7%
e. 20 to 39 times	2	0.3%
f. 40 or more times	4	0.7%
<b>Total</b>	<b>574</b>	<b>100.0%</b>

<i>Q-56. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	523	90.3%
b. 1 or 2 times	31	5.4%
c. 3 to 9 times	13	2.2%
d. 10 to 19 times	8	1.4%
e. 20 to 39 times	1	0.2%
f. 40 or more times	3	0.5%
<b>Total</b>	<b>579</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-57. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	557	97.0%
b. 1 or 2 times	7	1.2%
c. 3 to 9 times	4	0.7%
d. 10 to 19 times	4	0.7%
e. 20 to 39 times	2	0.3%
f. 40 or more times	0	0.0%
<b>Total</b>	<b>574</b>	<b>100.0%</b>

<i>Q-58. During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	553	96.7%
b. 1 time	10	1.7%
c. 2 or more times	9	1.6%
<b>Total</b>	<b>572</b>	<b>100.0%</b>

<i>Q-59. During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	145	25.3%
b. No	429	74.7%
<b>Total</b>	<b>574</b>	<b>100.0%</b>

<i>Q-60. Have you ever had sexual intercourse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	377	67.3%
b. No	183	32.7%
<b>Total</b>	<b>560</b>	<b>100.0%</b>

<i>Q-61. How old were you when you had sexual intercourse for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	181	31.8%
b. 11 years old or younger	39	6.9%
c. 12 years old	46	8.1%
d. 13 years old	67	11.8%
e. 14 years old	88	15.5%
f. 15 years old	88	15.5%
g. 16 years old	46	8.1%
h. 17 years old or older	14	2.5%
<b>Total</b>	<b>569</b>	<b>100.0%</b>

<i>Q-62. During your life, with how many people have you had sexual intercourse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	196	34.6%
b. 1 person	95	16.8%
c. 2 people	58	10.2%
d. 3 people	49	8.6%
e. 4 people	47	8.3%
f. 5 people	31	5.5%
g. 6 or more people	91	16.0%
<b>Total</b>	<b>567</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**  
**FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-63. During the past 3 months, with how many people did you have sexual intercourse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	192	33.5%
b. I have had sexual intercourse, but not during the past 3 months	107	18.7%
c. 1 person	186	32.5%
d. 2 people	51	8.9%
e. 3 people	15	2.6%
f. 4 people	9	1.6%
g. 5 people	5	0.9%
h. 6 or more people	8	1.4%
<b>Total</b>	<b>573</b>	<b>100.0%</b>

<i>Q-64. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	189	33.2%
b. Yes	113	19.9%
c. No	267	46.9%
<b>Total</b>	<b>569</b>	<b>100.0%</b>

<i>Q-65. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	190	33.2%
b. Yes	220	38.5%
c. No	162	28.3%
<b>Total</b>	<b>572</b>	<b>100.0%</b>

<i>Q-66. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	183	32.1%
b. No method was used to prevent pregnancy	69	12.1%
c. Birth control pills	32	5.6%
d. Condoms	189	33.2%
e. Depo-Provera	29	5.1%
f. Withdrawal	27	4.7%
g. Some other method	12	2.1%
h. Not sure	29	5.1%
<b>Total</b>	<b>570</b>	<b>100.0%</b>

<i>Q-67. How do you describe your weight?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Very underweight	20	3.6%
b. Slightly underweight	42	7.5%
c. About the right weight	279	49.8%
d. Slightly overweight	188	33.6%
e. Very overweight	31	5.5%
<b>Total</b>	<b>560</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-68. Which of the following are you trying to do about your weight?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Lose weight	308	54.4%
b. Gain weight	56	9.9%
c. Stay the same weight	98	17.3%
d. I am not trying to do anything about my weight	104	18.4%
<b>Total</b>	<b>566</b>	<b>100.0%</b>
<i>Q-69. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	386	68.2%
b. No	180	31.8%
<b>Total</b>	<b>566</b>	<b>100.0%</b>
<i>Q-70. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	220	38.6%
b. No	350	61.4%
<b>Total</b>	<b>570</b>	<b>100.0%</b>
<i>Q-71. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	90	15.9%
b. No	476	84.1%
<b>Total</b>	<b>566</b>	<b>100.0%</b>
<i>Q-72. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's prescription to lose weight or to keep from gaining weight?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	44	7.8%
b. No	520	92.2%
<b>Total</b>	<b>564</b>	<b>100.0%</b>
<i>Q-73. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	30	5.4%
b. No	530	94.6%
<b>Total</b>	<b>560</b>	<b>100.0%</b>
<i>Q-74. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink 100% fruit juice during the past 7 days	102	17.7%
b. 1 to 3 times during the past 7 days	219	38.1%
c. 4 to 6 times during the past 7 days	118	20.5%
d. 1 time per day	35	6.1%
e. 2 times per day	47	8.2%
f. 3 times per day	22	3.8%
g. 4 or more times per day	32	5.6%
<b>Total</b>	<b>575</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**  
**FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-75. During the past 7 days, how many times did you eat fruit?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat fruit during the past 7 days	67	11.6%
b. 1 to 3 times during the past 7 days	226	39.2%
c. 4 to 6 times during the past 7 days	142	24.7%
d. 1 time per day	49	8.5%
e. 2 times per day	49	8.5%
f. 3 times per day	25	4.3%
g. 4 or more times per day	18	3.1%
<b>Total</b>	<b>576</b>	<b>100.0%</b>

<i>Q-76. During the past 7 days, how many times did you eat green salad?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat green salad during the past 7 days	215	37.9%
b. 1 to 3 times during the past 7 days	216	38.0%
c. 4 to 6 times during the past 7 days	72	12.7%
d. 1 time per day	40	7.0%
e. 2 times per day	14	2.5%
f. 3 times per day	3	0.5%
g. 4 or more times per day	8	1.4%
<b>Total</b>	<b>568</b>	<b>100.0%</b>

<i>Q-77. During the past 7 days, how many times did you eat potatoes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat potatoes during the past 7 days	172	30.2%
b. 1 to 3 times during the past 7 days	305	53.5%
c. 4 to 6 times during the past 7 days	55	9.6%
d. 1 time per day	22	3.9%
e. 2 times per day	8	1.4%
f. 3 times per day	4	0.7%
g. 4 or more times per day	4	0.7%
<b>Total</b>	<b>570</b>	<b>100.0%</b>

<i>Q-78. During the past 7 days, how many times did you eat carrots?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat carrots during the past 7 days	276	48.6%
b. 1 to 3 times during the past 7 days	209	36.8%
c. 4 to 6 times during the past 7 days	39	6.9%
d. 1 time per day	18	3.2%
e. 2 times per day	7	1.2%
f. 3 times per day	5	0.9%
g. 4 or more times per day	14	2.5%
<b>Total</b>	<b>568</b>	<b>100.0%</b>

<i>Q-79. During the past 7 days, how many times did you eat other vegetables?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat other vegetables during the past 7 days	131	23.1%
b. 1 to 3 times during the past 7 days	254	44.9%
c. 4 to 6 times during the past 7 days	98	17.3%
d. 1 time per day	35	6.2%
e. 2 times per day	28	4.9%
f. 3 times per day	4	0.7%
g. 4 or more times per day	16	2.8%
<b>Total</b>	<b>566</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY**  
**HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS**  
**FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-80. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink a soda or pop during the past 7 days	61	10.7%
b. 1 to 3 times during the past 7 days	166	29.2%
c. 4 to 6 times during the past 7 days	126	22.2%
d. 1 time per day	66	11.6%
e. 2 times per day	64	11.3%
f. 3 times per day	37	6.5%
g. 4 or more times per day	48	8.5%
<b>Total</b>	<b>568</b>	<b>100.0%</b>

<i>Q-81. During the past 7 days, how many glasses of milk did you drink?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink milk during the past 7 days	78	13.8%
b. 1 to 3 glasses during the past 7 days	173	30.7%
c. 4 to 6 glasses during the past 7 days	96	17.0%
d. 1 glass per day	83	14.7%
e. 2 glasses per day	73	12.9%
f. 3 glasses per day	32	5.7%
g. 4 or more glasses per day	29	5.1%
<b>Total</b>	<b>564</b>	<b>100.0%</b>

<i>Q-82. During the past 7 days on how many days were you physically active for a total of at least 60 minutes per day?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	105	18.8%
b. 1 day	60	10.8%
c. 2 days	56	10.0%
d. 3 days	55	9.9%
e. 4 days	48	8.6%
f. 5 days	78	14.0%
g. 6 days	46	8.2%
h. 7 days	110	19.7%
<b>Total</b>	<b>558</b>	<b>100.0%</b>

<i>Q-83. On an average school day, how many hours do you watch TV?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I do not watch TV on an average school day	50	9.0%
b. Less than 1 hour per day	94	16.8%
c. 1 hour per day	101	18.1%
d. 2 hours per day	134	24.0%
e. 3 hours per day	95	17.0%
f. 4 hours per day	44	7.9%
g. 5 or more hours per day	40	7.2%
<b>Total</b>	<b>558</b>	<b>100.0%</b>



**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I do not play video or computer games or use a computer for something that is not school work	116	20.5%
b. Less than 1 hour per day	122	21.6%
c. 1 hour per day	97	17.1%
d. 2 hours per day	101	17.8%
e. 3 hours per day	65	11.5%
f. 4 hours per day	23	4.1%
g. 5 or more hours per day	42	7.4%
<b>Total</b>	<b>566</b>	<b>100.0%</b>

<i>Q-85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 days	213	38.2%
b. 1 day	26	4.7%
c. 2 days	21	3.8%
d. 3 days	22	3.9%
e. 4 days	9	1.6%
f. 5 days	266	47.8%
<b>Total</b>	<b>557</b>	<b>100.0%</b>

<i>Q-86. During the past 12 months, on how many sports teams did you play?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 teams	219	39.2%
b. 1 team	141	25.2%
c. 2 teams	98	17.5%
d. 3 or more teams	101	18.1%
<b>Total</b>	<b>559</b>	<b>100.0%</b>

<i>Q-87. Have you ever been taught about AIDS/HIV infection in school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	448	80.7%
b. No	60	10.8%
c. Not sure	47	8.5%
<b>Total</b>	<b>555</b>	<b>100.0%</b>

<i>Q-88. Has a doctor or nurse ever told you that you have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	109	19.7%
b. No	410	74.0%
c. Not sure	35	6.3%
<b>Total</b>	<b>554</b>	<b>100.0%</b>

<i>Q-89. Do you still have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had asthma	321	57.0%
b. Yes	93	16.5%
c. No	107	19.0%
d. Not sure	42	7.5%
<b>Total</b>	<b>563</b>	<b>100.0%</b>

**2009 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR AMERICAN INDIAN STUDENTS ON OR NEAR A RESERVATION**

<i>Q-90. During the past 12 months, did you receive help from a resource teacher, speech therapist, or other special education teacher at school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	122	22.3%
b. No	426	77.7%
<b>Total</b>	<b>548</b>	<b>100.0%</b>

<i>Q-91. Do you drive, and did you complete driver education (classroom and behind-the-wheel)?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. No, doesn't drive, doesn't have license or permit, did not complete driver ed	156	28.2%
b. No, doesn't drive, doesn't have license or permit, but completed driver ed	44	8.0%
c. Yes, drives, has a valid license or permit, but did not complete driver ed	45	8.1%
d. Yes, drives, has valid license or permit and completed driver ed	119	21.5%
e. Yes, drives on public roads, but does not have a valid license or permit	189	34.2%
<b>Total</b>	<b>553</b>	<b>100.0%</b>